

# **ARTGLASS UV PROTECTIVE GLASS**

Preserve materials and colors -Protect what's important!

## THE IMPACT OF ULTRAVIOLET LIGHT (UV)

Ultraviolet light is much like the visible light that we see, but the UV rays have shorter wavelengths and pack much more energy. Because of this energy, UV light can damage the molecular structure of various materials. Even low levels of UV radiation can cause damage to various types of art, if long-term exposure is allowed.

## WHAT'S THE RISK?

## Yellowing

UV radiation can damage the cellulose in paper - causing the paper to gain yellow undertones.

## Fading

UV damage can cause shifts in hues and colors, gradually impacting the original colors of an artwork. Different color pigment compositions are more susceptible to UV damage, but most do suffer, if exposed to sunlight over long periods.

### Structural damage

UV light can harm the molecular structures of various materials and cause visual and mechanical degradation over a period of time.

## Original

### Yellowing

Fading

# Structural damage



# **UV PROTECTIVE GLASS PROPERTIES**

UV protective glazing acts as a protective barrier - limiting the amount of UV that reaches the artwork. Depending on the desired application and the type of the artwork, the appropriate UV protection should be chosen.

## **Uncoated glass**

Depending on the thickness and type, uncoated regular glass transmits from 60 to 85% of UV light\*, which in long term may cause gradual, but irreversible deterioration of artworks and mediums.

\* UV light transmittance measured according to EN410 standard.



## **Coated glass**

Glazing products with anti-reflective and UV-protective properties increase the protection level and limit the UV radiation transmission of on artworks. The appropriate level of UV protection should be chosen according to the artwork's value, medium and display conditions.



#### 70% UV protection Artglass AR 70

Basic 70% UV protection reduces the percentage of UV light that reaches the artwork, but the main purpose of such glazing is anti-reflection and true transmission of colors. This glazing is easy to handle and should be chosen for chemically stable pieces.

#### 92% UV protection Artglass AR 92

92% UV block achieves the optimal combination between truest color transmission and a strong UV protection. The AR 92 product is easy to handle and recommended for framing where longevity of materials is a priority.

#### 99% UV protection Artglass AR 99

99% UV absorbing coating guarantees conservationgrade UV protection, approved by PPFA and FATG. These products require extra care when handling, and offer the best UV protection available on the market.

# **PRODUCT TESTING**

To demonstrate the effects of UV-protective coatings in comparison to regular glass, we conducted a UV exposure experiment to measure the visible effect on print images.

#### The ageing results with regular low-iron glass



\* Simulated values, based on average solar radiation - the effects may differ, depending on the intensity of the UV exposure

\*\* For our testing, we used Q-UV Accelerated Weathering Tester (UVA-340 Lamps), with UV exposure measured at 130 w/m2. The samples were contained in a unique environment, to compare the protection provided by different Artglass products vs uncoated glass.

# **OUR PRODUCTS AND PERFORMANCE**

## **ARTGLASS AR 99**

## Near-invisible conservation-grade protection

The combined glass coating method achieves more than 99% UV protection and <1% visible light reflection. This is the standard for museums, galleries and framing jobs where maximum UV protection is essential.



## **ARTGLASS AR 92**

## Best of all worlds – clarity, ease of handling and UV protection

Artglass AR 92 provides very high UV protection, while its low-iron substrate guarantees the truest color transmission. The easy-to-clean anti-reflective coating decreases the visible light reflections to <1% and ensures the best viewing experience.



Original image



Artglass AR 92



## **ARTGLASS AR 70** Basic UV protection - with maximum clarity

Impeccable anti-reflective performance, truest transmission of colors, easy to clean and handle. Artglass AR 70 provides an effective display and protects from UV light significantly better than uncoated glass.



Original image

After UV exposure



Regular glass



Artglass AR 70

## TIPS FOR PROTECTING AGAINST UV LIGHT DAMAGE

- Choose glazing with appropriate level of UV protection,
- Always hang artwork away from direct sunlight,
- Remember that visible light and other factors also contribute to long-term degradation of materials,
- Remember that UV damage is irreversible, so consult with your framer about the appropriate protection!

## **ABOUT ARTGLASS**

Artglass is a high-quality anti-reflective and UV protective glazing manufacturer, and #1 supplier of anti-reflective glass in Europe. From the Rijksmuseum in Amsterdam to the Forbidden City Museum in Beijing, the world's leading museums trust Artglass to preserve and display their most cherished collections.

Find out more about our products and get inspired by visiting our website: **artglass.groglass.com** 

- ArtglassByGroglass
- O Gartglass\_by\_groglass
- in Groglass

#### SOURCES:

- ASTM G173-03 Reference Spectra Derived from SMARTS v.2.9.2, available in (American Society for Testing and Materials, 2012; Gueymard, 2004;Gueymardet al., 2002; NREL, 20152012; Gueymard, 2004; Gueymard et al., 2002; NREL, 2015
- BEEK, HCA VAN, and Pieter M. Heertjes. "Fading by light of organic dyes on textiles and other materials." Studies in Conservation 11.3 (1966): 123-132.
- Cuttle, Christopher. "Damage to museum objects due to light exposure." International Journal of Lighting Research and Technology 28.1 (1996): 1-9.
- Feller, Robert L. "Control of deteriorating effects of light upon museum objects." Museum International 17.2 (1964): 57-98.
- Michalski, Stefan. "Damage to museum objects by visible radiation (light) and ultraviolet radiation (UV)." Lighting in museums, galleries and historic houses. Papers of the conference. Bristol, 9-10th April 1987. 1987.
- Michalski, Stefan. "Agent of deterioration: light, ultraviolet and infrared." Canadian Conservation Institute 17 (2018).
- Saunders, David, and Jo Kirby. "Light-induced colour changes in red and yellow lake pigments." National Gallery Technical Bulletin 15.1 (1994): 79-97.
- Stigter, Sanneke. "Living artist, living artwork? The problem of faded colour photographs in the work of Ger van Elk." Studies in Conservation 49.sup2 (2004): 105-108.

